MSP Crime Laboratory - Quality Assurance Manual

MSP Crime Lab Testimony Review Form (page 1 of 2)

Witness: Date:	
Evaluator: Lab #:	
Prosecuting Attorney:	
Defense Attorney:	
Judge:	
County: Superior/District:	
Commonwealth vs.	
Time on Stand: Direct Cross Redirect Recross	_
Type: Arson/Explosives Crime Scene Criminalistics (specify)	_
□DNA □Drugs □Evidence Handling □OUI □Toxicology	
I) Appearance/Demeanor	
Clothing	
Facial Expression	
Posture	
Eye Contact	
Poise	
Confidence	
Gestures Voice	
Neatness	

MSP Crime Laboratory System Quality Assurance Manual – Version 6.0

Appendix O

MSP Crime Laboratory - Quality Assurance Manual

MSP Crime Lab Testimony Review Form (page 2 of 2)

II) Responsiveness

Easy to Understand	
Speed of Response	
Briefness / Brevity	
Volunteer Information	
Request Clarification	

III) Technical Knowledge

Technical accuracy	
Technical persuasiveness	
Limited to area of expertise	
Convey scientific concepts in	
understandable terms	
Qualified as expert	
Opinions rendered	
Defense of reported conclusions	

Comments:
Date of Witness/Reviewer meeting:
Witness's Comments:
Technical Manager(s) Signature & Date:

MSP Crime Laboratory System Quality Assurance Manual – Version 6.0

Appendix O